

**Beyes**<sup>®</sup>  
CANADA

# Tips & Parts Warehouse

Piezo Ultrasonic Scalers



**One source, whole world!**

## About Us

Beyes® is the largest Canadian dental handpiece manufacturer with its corporate office located in Toronto. By taking advantage of the highly educated workforce and well-established manufacturing chain in Southern Ontario, Beyes® has revolutionized the dental industry with groundbreaking advancements of precision dental instrumentations. All of our products are manufactured in strict compliance with Health Canada regulations ensuring the unsurpassed quality. Our manufacturing facility is ISO 13485 certified under the Medical Device Single Audit Program (MDSAP). We have a dedicated sales team who works in synergy with our network of highly qualified distributors and end users to ensure our products not only meet, but exceed current and future demands. Our systematic benefits range from creative technological solution development to marketing and support.

## Mission Statement

To enhance and revolutionize the dental profession by providing quality dental products at competitive prices and building a close relationship with our distributors to find solutions for the needs of the dental community.



## How to find correct tips

1. Identify the manufacturer of your piezo ultrasonic scaler.
2. Find the manufacturer on the table of content (see P5-P6).
3. Find the category.
4. Select the ideal tip.

↔: Equivalent

eg: E-G4 is equivalent to instrument A by EMS®  
E-G4 ↔ EMS®: A



# Table of Contents

- 03 Company Information
- 03 How to find correct tips
- 05-06 Cross Reference
- 07-62 Tips
- 07-25 **Beyes®**, **EMS®**
- 26-29 **Kavo®**
- 30 **LM Dental®**
- 31-50 **Satelec®**, **NSK®**
- 51-55 **Sirona®**
- 56-62 **Mectron®**
- 63 Other Accessories

## Cross Reference

EMS® Model	Beyes® Model	Application	Page	
C	E-G2	Scaling	7	
P	E-G3	Scaling	7	
A	E-G4	Scaling	7	
PL3	E-P3	Perio	9	
DPL3	E-P3D	Perio	9	
SB	E-SB1	Restorative	14	
SBM	E-SB2	Restorative	15	
SBD	E-SB3	Restorative	15	
120° file holder	E-E1	Endo	16	
90° file holder	E-E2	Endo	16	
H	E-E3	Endo	16	
RT1	E-P4D	Endo	17	
D	E-G7	Others	25	
Kavo® Model	Beyes® Model	Application	Page	
5	K-5	Scaling	26	
6	K-6	Scaling	26	
7	K-7	Scaling	26	
8	K-8	Scaling	26	
9	K-9	Scaling	26	
10	K-10	Scaling	26	
60	K-60	Scaling	27	
61	K-61	Scaling	27	
62	K-62	Scaling	27	
A11	K-A11	Scaling	27	
51	K-51	Scaling	27	
52	K-52	Scaling	27	
26	K-26	Scaling	28	
45	K-45	Scaling	28	
27	K-27	Scaling	28	
11	K-11	Perio	28	
201	K-201	Perio	28	
202	K-202	Perio	28	
203	K-203	Perio	29	
E8	K-E8	Endo	29	
LM Dental® Model	Beyes® Model	Application	Page	
37	L-A1	Scaling	30	
39	L-A2	Scaling	30	
Satelec® Model	NSK® Model	Beyes® Model	Application	Page
/	G8	S-G1	Scaling	31
/	G2	S-G2	Scaling	31
1	/	S-G5	Scaling	31
2	/	S-G6	Scaling	31
/	G13	S-G9	Scaling	32
/	G11	S-G10	Scaling	32
10P	G4	S-P4	Perio	34
H2L	/	S-P2L	Perio	34
H2R	/	S-P2R	Perio	34
/	P2R	S-P2LD	Perio	34
/	P2L	S-P2RD	Perio	34
EX1	G62D	S-SB1	Restorative	39
EX2	G65D	S-SB2	Restorative	39
EX3	G66D	S-SB3	Restorative	39
EXL	/	S-SBL	Restorative	39

Satelec® Model	NSK® Model	Beyes® Model	Application	Page
EXR	/	S-SBR	Restorative	39
/	E11	S-E1	Endo	40
/	E12	S-E2	Endo	40
S07	E6	S-E3	Endo	41
ET18D	/	S-E3D	Endo	41
PM4	/	S-P4D	Endo	41
ET40	E8	S-E4	Endo	41
ET20	E7	S-E5	Endo	42
/	V30	S-E9	Endo	42
ET40D	E8D	S-E14D	Endo	43
ET20D	E7D	S-E15D	Endo	44
/	G25	S-G7	Others	50
5AE	G26	S-G8	Others	50

Sirona® Model	Beyes® Model	Application	Page
PE1	SI-P3	Perio	52


Mectron® Model	Beyes® Model	Application	Page
EL1	M-EL1	Sinus Lift	56
EL2	M-EL2	Sinus Lift	56
EL3	M-EL3	Sinus Lift	56
OT1	M-OT1	Sinus Lift	56
OT5	M-OT5	Sinus Lift	56
UL8	M-UL8	Sinus Lift	56
EN1	M-EN1	Endo	57
EN2	M-EN2	Endo	57
EN3	M-EN3	Endo	57
EN4	M-EN4	Endo	57
EX1	M-EX1	Extraction	57
EX2	M-EX2	Extraction	57
EX3	M-EX3	Extraction	58
UC6	M-UC6	Extraction	58
UC7	M-UC7	Extraction	58
UI1	M-UI1	Implantation	58
UI2	M-UI2	Implantation	58
UI8	M-UI8	Implantation	59
UI9	M-UI9	Implantation	59
OT4	M-OT4	Implantation	59
OP1	M-OP1	Osteotomy	59
OP3	M-OP3	Osteotomy	59
OT2	M-OT2	Osteotomy	60
OT6	M-OT6	Osteotomy	60
OT7	M-OT7	Osteotomy	60
OT7S-3	M-OT7S-3	Osteotomy	60
OT8L	M-OT8L	Osteotomy	60
OT8R	M-OT8R	Osteotomy	60
OP5	M-OP5	Perio	61
OP6	M-OP6	Perio	61
UP7	M-UP7	Perio	61
PP1	M-PP1	Perio	61
PS1	M-PS1	Perio	61
PS2	M-PS2	Perio	61
PS6	M-PS6	Perio	62
US13	M-US13	Bone Surgery	62
US21	M-US21	Bone Surgery	62
US25	M-US25	Bone Surgery	62

Compatible with **Beyes®**, **EMS®**

## Scaling

### E-G1

Code: UL2300




Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.

### E-G2

Code: UL2301

↔ EMS®: C




Removal of heavy calculus and stains in the supragingival area.

### E-G3

Code: UL2506

↔ EMS®: P



For removing supra- and subgingival calculus in all quadrants.

### E-G4

Code: UL2302


↔ EMS®: A



For removing supragingival deposits in all quadrants.

### E-G5

Code: UL2303



Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.

### E-G6

Code: UL2304




Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.

Compatible with **Beyes®**, **EMS®**

## Scaling

### E-G9


Code: UL2333



Sickle scaler type for removal of supragingival calculus. The diamond-shaped cross-section allows efficient scaling.

### E-G10


Code: UL2334



The tip is similar to a Gracey Curette scaler #1/2 for scaling anterior and molar teeth.

### E-G12


Code: UL2365



Removal of large supragingival deposits on the lingual surfaces in all quadrants.

### E-G20


Code: UL2366



For "supragingival shoulder" preparation after the completion of the preparation of the "subgingival shoulder" with bur.

### E-G21


Code: UL2367



For polishing of prepared supragingival shoulder and subgingival shoulder

### E-G30


Code: UL2368



For the preparation between pits and fissures.

### E-G31

Code: UL2369




For the preparation of the mesial cavity.

Compatible with **Beyes®**, **EMS®**

## Scaling

### E-G32

Code: UL2370



For the preparation of the distal cavity.

### E-G33

Code: UL2371



For the preparation of the tooth veneers.

Compatible with **Beyes®**, **EMS®**

## Perio

### E-P1

Code: UL2305




Efficient in the interdental spaces and posterior surfaces.

### E-P3

Code: UL2306

↔ **EMS®: PL3**




Instrument for cleaning and disinfecting periodontal pockets – especially suitable for follow-up and recall visits.

### E-P3D

Code: UL2307


↔ **EMS®: DPL3**



Diamond-tipped instruments for smoothing restoration overhangs.

### E-P4

Code: UL2308



The end of the tip is thin and for supragingival fine scaling and interdental scaling. The round crosssection allows tooth surfaces to be finished without causing damage.

Compatible with **Beyes®**, **EMS®**

## Perio

### E-P2L


Code: UL2320



Used for deeper subgingival scaling and molar furcations. Tip angled to left for better access to furcations.

### E-P2R


Code: UL2321



Used for deeper subgingival scaling and molar furcations. Tip angled to right for better access to furcations.

### E-P2LD


Code: UL2322



Right-oriented tip for maintenance and debridement of fine periodontium.

### E-P2RD


Code: UL2323



Left-oriented tip for maintenance and debridement of fine periodontium.

### E-P3L


Code: UL2372



Left-angled, used for subgingival scaling.

### E-P3R

Code: UL2373




Right-angled, used for subgingival scaling.

Compatible with **Beyes®**, **EMS®**

## Perio

### E-P5


Code: UL2374



For removal of the tartar in the adjacent of teeth and Gingival margin of the neck.

### E-P6


Code: UL2375



For cleaning and irrigating of periodontal deep pockets.

### E-P7

Code: UL2376



For cleaning and irrigating of subgingival deposits.

### E-P8

Code: UL2377



To remove the calculus at shallow periodontal pocket and treat the adjacent tooth surface and ditch area.

### E-P10


Code: UL2378



For gentle scaling and removal of tartar in the periodontal pocket.

### E-P11

Code: UL2379




For high efficient removal of the stubborn tartar in the subgingival.

Compatible with Beyes®, EMS®

## Perio

### E-P12

Code: UL2380



For high efficient removal of the stubborn tartar in posterior subgingival.

### E-P14L


Code: UL2381



Left curved, for high efficient removal of the stubborn tartar in posterior subgingival.

### E-P14R

Code: UL2382



Right-oriented tip for maintenance and debridement of fine periodontium.

### E-P18


Code: UL2383



For probing the deep periodontal pocket tartar, and subgingival rinse after scaling.

### E-P20


Code: UL2384



For removal of the tartar in the adjacent of teeth, gingival margin of the neck and the tartar within 3mm in the subgingival pocket.

### E-P20L

Code: UL2385




Left curved, for high efficient removal of the stubborn tartar in posterior subgingival.

Compatible with Beyes®, EMS®

## Perio

### E-P20R


Code: UL2386



Right curved, for high efficient removal of the stubborn tartar in posterior subgingival.

### E-P21L


Code: UL2387



Left curved, for the scaling of root bifurcation and root surface of adjacent of posterior teeth sector.

### E-P21R


Code: UL2388



Right curved, for the scaling of root bifurcation and root surface of adjacent of posterior teeth sector.

### E-P22L


Code: UL2389



Left curved, removal of subgingival tartar and stains.

### E-P22R


Code: UL2390



Right curved, removal of subgingival tartar and stains.

### E-P33

Code: UL2391





To remove calculus deep in the periodontal pocket and rinse the periodontal pocket.

Compatible with **Beyes®**, **EMS®**

## Perio

### E-PD40



Code: UL2392



Used as an adapter to hold the implant maintenance tips PD41 and PD42 to clean and maintain the implant.

### E-PD41



Code: UL2393



Can be installed to PD40 adapter to realize the cleaning and maintenance of implant.

### E-PD42



Code: UL2394



Can be installed to PD40 adapter to realize the cleaning and maintenance of implant.

### E-PD43L


Code: UL2395



Implant maintenance tip installed on PD40 adapter to realize the cleaning and maintenance of dental implants.

### E-PD43R

Code: UL2396



Implant maintenance tip installed on PD40 adapter to realize the cleaning and maintenance of dental implants.



Compatible with **Beyes®**, **EMS®**

## Restorative

### E-SB1

Code: UL2314

↔ EMS®: SB



Ball diamond tip (46µm). Diameter 1.7mm. Preparation of the occlusal surface and cervical margins.



Compatible with **Beyes®**, **EMS®**

## Restorative

### E-SB2

Code: UL2315

↔ EMS®: SBM





Half ball diamond tip (46µm). Diameter 1.7mm. Preparation of the proximal surface without damaging the adjacent tooth.

### E-SB3

Code: UL2316



↔ EMS®: SBD



Half ball diamond tip (46µm). Diameter 1.7mm. Preparation of the distal surface without damaging the adjacent tooth.

### E-SBL



Code: UL2317



Half ball diamond tip (46µm). Set 45° to the left. Allows access to the lesion without damaging the adjacent tooth.

### E-SBR



Code: UL2318



Half ball diamond tip (46µm). Set 45° to the right. Allows access to the lesion without damaging the adjacent tooth.

### E-SB4


Code: UL2913



To remove dental caries at upper and lower occlusal surfaces and neck of teeth.

### E-SB5


Code: UL2914



To remove the mesial surface caries of adjacent teeth.

### E-SB6

Code: UL2915



to remove the mesial surface caries of adjacent teeth.




Compatible with **Beyes®**, **EMS®**

## Restorative

### E-SB7L


Code: UL2916



To remove the proximal surface caries.

### E-SB7R

Code: UL2917



To remove the proximal surface caries.


Compatible with **Beyes®**, **EMS®**

## Endo

### E-E1

Code: UL2310

↔ **EMS®**: 120° file holder




For the flexibility to use different endo files, specially suited for anterior and premolar areas.

### E-E2

Code: UL2311

↔ **EMS®**: 90° file holder



For the flexibility to use different endo files, specially suited for the molar area.

### E-E3

Code: UL2312

↔ **EMS®**: H



For the lateral thermal condensation of gutta-percha.

### E-E3D

Code: UL2313



This tip is for use in the pulp chamber to eliminate dental overhangs, intra chamber calcifications (pulpoliths), temporary fillings and some filling materials. The tip can be used with irrigation.


Compatible with **Beyes®**, **EMS®**

## Endo

### E-P4D

Code: UL2309


↔ **EMS®**: RT1



Diamond-tipped instrument for locating canals and removing calcifications in the coronal third of the root canal system.

### E-E4


Code: UL2324



Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### E-E4D

Code: UL2325



Diamond-coated, Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### E-E5

Code: UL2326



Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### E-E5D

Code: UL2327



Diamond-coated, Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

Compatible with **Beyes®**, **EMS®**

## Endo

### E-E8


Code: UL2328



For root canal enlargement and cleaning.

### E-E9


Code: UL2329



For root canal enlargement and cleaning.

### E-E10


Code: UL2338



Apical root debridement.

### E-E10D


Code: UL2339



Diamond-coated, gentle apical root debridement.

### E-E11


Code: UL2340



Apical root debridement.

### E-E11D

Code: UL2341




Diamond-coated, gentle apical root debridement.

Compatible with **Beyes®**, **EMS®**

## Endo

### E-E14


Code: UL2342



Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### E-E14D


Code: UL2343



Diamond-coated version of the E-E14 for retreatments of extremely hard materials. The most powerful of the retreatment tips.

### E-E15


Code: UL2344



Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### E-E15D


Code: UL2345



Diamond-coated version of the E-E15 with enhanced cutting and abrasive power laterally. Particularly useful for removing very hard materials when "brushing" the parietal walls.

### E-ED3D

Code: UL2346




for enlarging the root canal and access to files broken in the root canal.

Compatible with **Beyes®**, **EMS®**

## Endo

### E-E6


Code: UL2347



For removing foreign body in deep canal.

### E-E7


Code: UL2348



Used for removing foreign body in 1/3 canal.

### E-E12D


Code: UL2349



For removing the calcification and bad filling material of pulp cavity, exposing the root canal orifice.

### E-ED17


Code: UL2350



For root canal detection, pulp chamber cleaning, and orifice opening.

### E-ED18

Code: UL2351




To determine the position of the root canal, remove the dentin, calcification and loose crown at the 1/3 crown of the root canal.

Compatible with **Beyes®**, **EMS®**

## Endo

### E-ED19D


Code: UL2352



For efficient apex modification in retropreparation.

### E-ED20D


Code: UL2353



For efficient apex modification in retropreparation.

### E-ED21LD


Code: UL2354



For efficient apex modification in retropreparation.

### E-ED21RD


Code: UL2355



For efficient apex modification in retropreparation.

### E-ED22D


Code: UL2356



For efficient apex modification in retropreparation.

### E-ED23D


Code: UL2357



For efficient apex modification in retropreparation.

### E-ED24D

Code: UL2358




For efficient apex modification in retropreparation.

Compatible with **Beyes®**, **EMS®**

## Endo

### E-ED25LD

Code: UL2359



For efficient apex modification in retropreparation.

### E-ED25RD


Code: UL2360



For efficient apex modification in retropreparation.

### E-E60


Code: UL2362



Minimally invasive irrigation.

### E-E62



Code: UL2363



For irrigation of root canal after root canal preparation.

### E-E66

Code: UL2364





For irrigation of root canal after root canal preparation, so as to rinse out the debris.

Compatible with **Beyes®**, **EMS®** **Periodontal Treatment Device**

### E-P50L


Code: UL2397



Explore subgingival calculus, root planing and subgingival scaling.

### E-P50R


Code: UL2398



Explore subgingival calculus, root planing and subgingival scaling.

### E-P52


Code: UL2399



For gingival scaling.

### E-P53L

Code: UL2900



Explore subgingival calculus, root planing and subgingival scaling.

### E-P53R


Code: UL2901



Explore subgingival calculus, root planing and subgingival scaling.

### E-P54L


Code: UL2902



For the treatment of root bifurcation area.

### E-P54R

Code: UL2903



For the treatment of root bifurcation area.

Compatible with **Beyes®**, **EMS®** **Periodontal Treatment Device**

**E-P56**


Code: UL2904



For gingival large stones and dental plaque.

**E-P58**


Code: UL2905



For the treatment of root bifurcation, removal of supragingival large calculus and plaque.

**E-P59**


Code: UL2906



For subgingival calculus probing, subgingival scaling and root planing.

**E-P80**


Code: UL2907



To rinse out the residue after the subgingival treatment.

**E-P90**


Code: UL2908



For gingival large stones and dental plaque.

**E-P94**

Code: UL2909




Cleaning and maintenance of implant.

Compatible with **Beyes®**, **EMS®** **Periodontal Treatment Device**

**E-P95**


Code: UL2910



Cleaning and maintenance of implant.

**E-P96L**


Code: UL2911



For cleaning and maintenance of dental implants.

**E-P96R**

Code: UL2912



Implant maintenance tip installed on PD40 adapter to realize the cleaning and maintenance of dental implants.


Compatible with **Beyes®**, **EMS®**

**Others**

**E-G7**

Code: UL2319

↔ EMS®: D



For loosening crowns, bridges and pins placed previously with phosphate cement.

**E-G8**


Code: UL2332



Post removal.

**E-G11**

Code: UL2335



For orthodontic.

Compatible with **Kavo®**


## Scaling

### K-5

Code: UL2210

↔ **KAVO®: 5**

For removal of large areas of calculus.



### K-6

Code: UL2211

↔ **KAVO®: 6**

For removal of large areas of supragingival calculus.



### K-7

Code: UL2212

↔ **KAVO®: 7**

For removal of large areas of supragingival calculus.




### K-8

Code: UL2213

↔ **KAVO®: 8**

Gentle pocket cleansing during periodontal treatment; effective cleansing in pockets up to 9 mm deep; for the anterior region.





### K-9

Code: UL2214

↔ **KAVO®: 9**

Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.



### K-10

Code: UL2215

↔ **KAVO®: 10**

Removal of supragingival calculus, interdental calculus and calculus at the neck of the teeth.



Compatible with **Kavo®**


## Scaling

### K-60

Code: UL2217

↔ **KAVO®: 60**

Gentle pocket cleansing during periodontal treatment; effective cleansing in pockets up to 9 mm deep; for the anterior region, smooth surfaces.




### K-61

Code: UL2218

↔ **KAVO®: 61**

Gentle pocket cleansing during periodontal treatment; effective cleansing in pockets up to 9 mm deep; from first/third quadrant to central incisor accessed buccally, then cleansing of front teeth, premolars and molars of the second/fourth quadrant, accessed palatally / lingually.




### K-62

Code: UL2219

↔ **KAVO®: 62**

Gentle pocket cleansing during periodontal treatment; effective cleansing in pockets up to 9 mm deep; from second/fourth quadrant to central incisor accessed buccally, then cleansing of front teeth, premolars and molars of the first/third quadrant, accessed palatally / lingually.




### K-A11

Code: UL2220

↔ **KAVO®: A11**

For orthodontic.




### K-51

Code: UL2222

↔ **KAVO®: 51**

For "supragingival shoulder" preparation after the completion of the preparation.





### K-52

Code: UL2223

↔ **KAVO®: 52**

For polishing of prepared supragingival shoulder and subgingival shoulder.



Compatible with **Kavo®**

## Scaling

### K-26

Code: UL2224

↔ **KAVO®: 26**

Removal of supragingival deposits in all quadrants.



### K-45

Code: UL2225

↔ **KAVO®: 45**

Removal of supragingival heavy calculus and plaque.




### K-27

Code: UL2226

↔ **KAVO®: 27**

Removal of supragingival calculus, interdental calculus and calculus at the neck of the teeth.



Compatible with **Kavo®**

## Perio

### K-11

Code: UL2216

↔ **KAVO®: 11**

Sickle scaler type for removal of supragingival calculus. The diamond-shaped cross-section allows efficient scaling.



### K-201

Code: UL2227

↔ **KAVO®: 201**

For the treatment of interproximal spaces and for supragingival scaling.





### K-202

Code: UL2228

↔ **KAVO®: 202**

To remove the calculus at shallow periodontal pocket and treat the adjacent tooth surface and ditch area.



Compatible with **Kavo®**


## Perio

### K-203

Code: UL2229

↔ **KAVO®: 203**

For cleaning and irrigating of periodontal deep pockets.



Compatible with **Kavo®**


## Endo

### K-E8

Code: UL2221

↔ **KAVO®: E8**

For root canal enlargement and cleaning.



Compatible with **LM Dental®**


## Scaling

### L-A1

Code: UL2710

↔ **LM Dental®: 37**

Used for lingual and buccal subgingival scaling and furcations. Also suitable for supragingival fine scaling and spot removal.




### L-A2

Code: UL2711

↔ **LM Dental®: 39**

Used for deeper lingual and buccal subgingival scaling. Also suitable for supragingival fine scaling and spot removal.



Compatible with **Satelec®**, **NSK®**


## Scaling

### S-G1

Code: UL2400

↔ **NSK®: G8**

Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.




### S-G2

Code: UL2401

↔ **NSK®: G2**


Removal of heavy calculus and stains in the supragingival area.



### S-G3

Code: UL2507


For removing supra- and subgingival calculus in all quadrants.



### S-G4

Code: UL2402

For removing supragingival deposit in all quadrants.




### S-G5

Code: UL2403

↔ **Satelec®: 1**

Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.




### S-G6

Code: UL2404

↔ **Satelec®: 2**

For considerable supragingival tartar removal.





Compatible with **Satelec®**, **NSK®**


## Scaling

### S-G9

Code: UL2433

↔ **NSK®: G13**

Sickle scaler type for removal of supragingival calculus. The diamond-shaped cross-section allows efficient scaling.



### S-G10

Code: UL2434

↔ **NSK®: G11**

The tip is similar to a Gracey Curette scaler #1/2 for scaling anterior and molar teeth.



### S-G12

Code: UL2464


Removal of large supragingival deposits on the lingual surfaces in all quadrants.



### S-G20

Code: UL2465


For "supragingival shoulder" preparation after the completion of the preparation of the "subgingival shoulder" with bur.



### S-G21

Code: UL2466


For polishing of prepared supragingival shoulder and subgingival shoulder.



### S-G30

Code: UL2467

For the preparation between pits and fissures.




Compatible with **Satelec®**, **NSK®**

## Scaling

### S-G31

Code: UL2469

For the preparation of the mesial cavity.



### S-G32

Code: UL2470

For removing supra- and subgingival calculus in all quadrants.



### S-G33

Code: UL2471

For the preparation of the tooth veneers.




Compatible with **Satelec®**, **NSK®**

## Perio

### S-P1

Code: UL2405

Efficient in the interdental spaces and posterior surfaces.



### S-P3

Code: UL2406


Instrument for cleaning and disinfecting periodontal pockets - especially suitable for follow-up and recall visits.



### S-P3D

Code: UL2407

Diamond-tipped instruments for smoothing restoration overhangs.





Compatible with **Satelec®**, **NSK®**

**Perio**

### S-P4

Code: UL2408

↔ **Satelec®**: 10P; **NSK®**: G4





The end of the tip is thin and for supragingival fine scaling and interdental scaling. The round crosssection allows tooth surfaces to be finished without causing damage.

### S-P2L

Code: UL2430

↔ **Satelec®**: H2L




Used for deeper subgingival scaling and molar furcations. Tip angled to left for better access to furcations.

### S-P2R

Code: UL2431

↔ **Satelec®**: H2R




Used for deeper subgingival scaling and molar furcations. Tip angled to left for better access to furcations.

### S-P2LD

Code: UL2422

↔ **NSK®**: P2R




Right-oriented tip for maintenance and debridement of fine periodontium.

### S-P2RD

Code: UL2423


↔ **NSK®**: P2L



Left-oriented tip for maintenance and debridement of fine periodontium.

### S-P3L

Code: UL2472



Left-angled, used for subgingival scaling.

Compatible with **Satelec®**, **NSK®**

**Perio**

### S-P3R


Code: UL2473



Right-angled, used for subgingival scaling.

### S-P5

Code: UL2474



For removal of the tartar in the adjacent of teeth and Gingival margin of the neck.

### S-P6


Code: UL2475



For cleaning and irrigating of periodontal deep pockets.

### S-P7

Code: UL2476



For cleaning and irrigating of subgingival deposits.

### S-P8

Code: UL2477



To remove the calculus at shallow periodontal pocket and treat the adjacent tooth surface and ditch area

### S-P10

Code: UL2479



For gentle scaling and removal of tartar in the periodontal pocket.

Compatible with Satelec®, NSK®

Perio

### S-P11

Code: UL2480



For high efficient removal of the stubborn tartar in the subgingival.

### S-P12


Code: UL2481



For high efficient removal of the stubborn tartar in posterior subgingival.

### S-P14L


Code: UL2482



Left curved, for high efficient removal of the stubborn tartar in posterior subgingival.

### S-P14R

Code: UL2483



Right curved, for high efficient removal of the stubborn tartar in posterior subgingival.

### S-P18


Code: UL2484



For probing the deep periodontal pocket tartar, and subgingival rinse after scaling.

### S-P20

Code: UL2485




For removal of the tartar in the adjacent of teeth, gingival margin of the neck and the tartar within 3mm in the subgingival pocket.

Compatible with Satelec®, NSK®

Perio

### S-P20L


Code: UL2486



Left curved, for high efficient removal of the stubborn tartar in posterior subgingival.

### S-P20R


Code: UL2487



Right curved, for high efficient removal of the stubborn tartar in posterior subgingival.

### S-P21L


Code: UL2488



Left curved, for the scaling of root bifurcation and root surface of adjacent of posterior teeth sector.

### S-P21R


Code: UL2489



Right curved, for the scaling of root bifurcation and root surface of adjacent of posterior teeth sector.

### S-P22L

Code: UL2490



Left curved, removal of subgingival tartar and stains.

### S-P22R

Code: UL2491



Right curved, removal of subgingival tartar and stains.

Compatible with **Satelec®**, **NSK®**

## Perio

### S-P33


Code: UL2492



To remove calculus deep in the periodontal pocket and rinse the periodontal pocket.

### S-PD40


Code: UL2493



Used as an adapter to hold the implant maintenance tips PD41 and PD42 to clean and maintain the implant.

### S-PD41


Code: UL2494



Can be installed to PD40 adapter to realize the cleaning and maintenance of implant.

### S-PD42


Code: UL2495



Can be installed to PD40 adapter to realize the cleaning and maintenance of implant.

### S-PD43L


Code: UL2496



Implant maintenance tip installed on PD40 adapter to realize the cleaning and maintenance of dental implants.

### S-PD43R

Code: UL2497



Implant maintenance tip installed on PD40 adapter to realize the cleaning and maintenance of dental implants.

Compatible with **Satelec®**, **NSK®**

## Restorative

### S-SB1

Code: UL2414

↔ **Satelec®**: EX1; **NSK®**: G62D




Ball diamond tip (46µm). Diameter 1.7mm. Preparation of the occlusal surface and cervical margins.

### S-SB2

Code: UL2415

↔ **Satelec®**: EX2; **NSK®**: G65D



Half ball diamond tip (46µm). Diameter 1.7mm. Preparation of the proximal surface without damaging the adjacent tooth.

### S-SB3

Code: UL2416

↔ **Satelec®**: EX3; **NSK®**: G66D



Half ball diamond tip (46µm). Diameter 1.7mm. Preparation of the distal surface without damaging the adjacent tooth.

### S-SBL

Code: UL2417

↔ **Satelec®**: EXL




Half ball diamond tip (46µm). Set 45° to the left. Allows access to the lesion without damaging the adjacent tooth.

### S-SBR

Code: UL2418


↔ **Satelec®**: EXR



Half ball diamond tip (46µm). Set 45° to the right. Allows access to the lesion without damaging the adjacent tooth.

### S-SB4

Code: UL2516




To remove dental caries at upper and lower occlusal surfaces and neck of teeth.

Compatible with **Satelec®**, **NSK®**

## Restorative

### S-SB5


Code: UL2517



To remove the mesial surface caries of adjacent teeth.

### S-SB6



Code: UL2518



To remove the mesial surface caries of adjacent teeth.

### S-SB7L


Code: UL2519



To remove the proximal surface caries.

### S-SB7R

Code: UL2520



To remove the proximal surface caries.


Compatible with **Satelec®**, **NSK®**

## Endo

### S-E1

Code: UL2410

↔ **NSK®: E11**




For the flexibility to use different endo files, specially suited for anterior and premolar areas.

### S-E2

Code: UL2411

↔ **NSK®: E12**



For the flexibility to use different endo files, specially suited for the molar area.

Compatible with **Satelec®**, **NSK®**

## Endo

### S-E3

Code: UL2412

↔ **Satelec®: S07; NSK®: E6**



For the lateral thermal condensation of gutta-percha.

### S-E3D

Code: UL2413

↔ **Satelec®: ET18D**





This tip is for use in the pulp chamber to eliminate dental overhangs, intra chamber calcifications (pulpoliths), temporary fillings and some filling materials. The tip can be used with irrigation.

### S-P4D

Code: UL2409

↔ **Satelec®: PM4**




Diamond-tipped instruments for locating canals and removing calcifications in the coronal third of the root canal system.

### S-E4

Code: UL2424


↔ **Satelec®: ET40; NSK®: E8**



Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### S-E4D

Code: UL2425



Diamond-coated, Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.


Compatible with **Satelec®**, **NSK®**

**Endo**

### S-E5

Code: UL2426


↔ **Satelec®**: ET20; **NSK®**: E7



Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### S-E5D

Code: UL2427



Diamond-coated, Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### S-E8

Code: UL2428




For root canal enlargement and cleaning.

### S-E9

Code: UL2429


↔ **NSK®**: V30



For root canal enlargement and cleaning.

### S-E10

Code: UL2438




Apical root debridement.

Compatible with **Satelec®**, **NSK®**

**Endo**

### S-E10D


Code: UL2439



Diamond-coated, gentle apical root debridement.

### S-E11


Code: UL2440



Apical root debridement.

### S-E11D


Code: UL2441



Diamond-coated, gentle apical root debridement.

### S-E14

Code: UL2442




Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### S-E14D

Code: UL2443

↔ **Satelec®**: ET40D; **NSK®**: E8D




Right-oriented tip for maintenance and debridement of fine periodontium.

Compatible with **Satelec®**, **NSK®**

**Endo**

### S-E15

Code: UL2444




Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### S-E15D

Code: UL2445


↔ Satelec®: ET20D; NSK®: E7D



Diamond-coated version of the E-E15 with enhanced cutting and abrasive power laterally. Particularly useful for removing very hard materials when "brushing" the parietal walls.

### S-ED3D


Code: UL2446



For enlarging the root canal and access to files broken in the root canal.

### S-E6


Code: UL2447



For removing foreign body in deep canal.

### S-E7

Code: UL2448




Used for removing foreign body in 1/3 canal.

Compatible with **Satelec®**, **NSK®**

**Endo**

### S-E12D

Code: UL2449



For removing the calcification and bad filling material of pulp cavity, exposing the root canal orifice

### S-ED17


Code: UL2450



For root canal detection, pulp chamber cleaning, and orifice opening.

### S-ED18


Code: UL2451



To determine the position of the root canal, remove the dentin, calcification and loose crown at the 1/3 crown of the root canal.

### S-ED19D


Code: UL2452



For efficient apex modification in retropreparation.

### S-ED20D


Code: UL2453



For efficient apex modification in retropreparation.

### S-ED21LD

Code: UL2454




For efficient apex modification in retropreparation.

Compatible with **Satelec®**, **NSK®**

## Endo

### S-ED21RD



Code: UL2455



For efficient apex modification in retropreparation.

### S-ED22D



Code: UL2456



For efficient apex modification in retropreparation.

### S-ED23D


Code: UL2457



For efficient apex modification in retropreparation.

### S-ED24D

Code: UL2458



For efficient apex modification in retropreparation.

### S-ED25LD

Code: UL2459



For efficient apex modification in retropreparation.

### S-ED25RD

Code: UL2460




For efficient apex modification in retropreparation.

Compatible with **Satelec®**, **NSK®**

## Endo

### S-E60


Code: UL2461



Minimally invasive irrigation.

### S-E62


Code: UL2462



For irrigation of root canal after root canal preparation.

### S-E66


Code: UL2463



For irrigation of root canal after root canal preparation, so as to rinse out the debris.

### S-P50L


Code: UL2498



Explore subgingival calculus, root planing and subgingival scaling.

### S-P50R

Code: UL2499



Explore subgingival calculus, root planing and subgingival scaling.




Compatible with Satelec®, NSK®

Endo

### S-P52


Code: UL2500



For gingival scaling.

### S-P53L


Code: UL2501



Explore subgingival calculus, root planing and subgingival scaling.

### S-P53R


Code: UL2502



Explore subgingival calculus, root planing and subgingival scaling.

### S-P54L

Code: UL2503



For the treatment of root bifurcation area.

### S-P54R

Code: UL2504



For the treatment of root bifurcation area.

### S-P56

Code: UL2505



For gingival large stones and dental plaque.

Compatible with Satelec®, NSK®

Endo

### S-P58


Code: UL2508



For the treatment of root bifurcation, removal of supragingival large calculus and plaque.

### S-P59


Code: UL2509



For subgingival calculus probing, subgingival scaling and root planing.

### S-P80

Code: UL2510



To rinse out the residue after the subgingival treatment.

### S-P90


Code: UL2511



For gingival large stones and dental plaque.

### S-P94


Code: UL2512



Cleaning and maintenance of implant.

### S-P95

Code: UL2513




Cleaning and maintenance of implant.

Compatible with **Satelec®**, **NSK®**

## Endo

### S-P96L


Code: UL2514



For cleaning and maintenance of dental implants.

### S-P96R

Code: UL2515



Implant maintenance tip installed on PD40 adapter to realize the cleaning and maintenance of dental implants

Compatible with **Satelec®**, **NSK®**


## Others

### S-G7

Code: UL2319

↔ **NSK®: G25**

For loosening crowns, bridges and pins placed previously with phosphate cement.




### S-G8

Code: UL2432

↔ **Satelec®: 5AE; NSK®: G26**


Post removal.



### S-G11

Code: UL2435

For orthodontic.




Compatible with **Sirona®**

## Scaling

### SI-G1


Code: UL2810



Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.

### SI-G2


Code: UL2811



Removal of heavy calculus and stains in the supragingival area.

### SI-G3


Code: UL2812



For removing supra- and subgingival calculus in all quadrants.

### SI-G4


Code: UL2813



For removing supragingival deposit in all quadrants.

### SI-G5


Code: UL2814



Removal of supragingival and interdental calculus. This tip can be used in all quadrants and is very useful for the removal of hard calculus.

### SI-G6

Code: UL2815




For considerable supragingival tartar removal.

Compatible with **Sirona®**

## Scaling

### SI-G7

Code: UL2816



For loosening crowns, bridges and pins placed previously with phosphate cement.

### SI-G8

Code: UL2817





Post removal.

Compatible with **Sirona®**

## Perio

### SI-P1

Code: UL2841




Efficient in the interdental spaces and posterior surfaces.

### SI-P3

Code: UL2842


↔ **Sirona®: PE1**



Instrument for cleaning and disinfecting periodontal pockets - especially suitable for follow-up and recall visits.

### SI-P3D



Code: UL2843



Diamond-tipped instruments for smoothing restoration overhangs.

### SI-P4

Code: UL2844




The end of the tip is thin and for supragingival fine scaling and interdental scaling. The round crosssection allows tooth surfaces to be finished without causing damage

Compatible with **Sirona®**

## Endo

### SI-E1


Code: UL2823



For the flexibility to use different endo files, specially suited for anterior and premolar areas.

### SI-E2

Code: UL2824



For the flexibility to use different endo files, specially suited for the molar area.

### SI-E3


Code: UL2825



For the lateral thermal condensation of gutta-percha.

### SI-E3D


Code: UL2826



This tip is for use in the pulp chamber to eliminate dental overhangs, intra chamber calcifications (pulpoliths), temporary fillings and some filling materials. The tip can be used with irrigation.

### SI-E4

Code: UL2827




Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

Compatible with **Sirona®**

**Endo**

### SI-E4D


Code: UL2828



Diamond-coated, Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### SI-E5

Code: UL2829



Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### SI-E5D


Code: UL2830



Diamond-coated, Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### SI-E8


Code: UL2831



For root canal enlargement and cleaning.

### SI-E10

Code: UL2832




Apical root debridement.

Compatible with **Sirona®**

**Endo**

### SI-E11


Code: UL2833



Apical root debridement.

### SI-E14

Code: UL2834



Quickly removes obstructions and broken instruments in the middle and apical thirds of large and straight canals.

### SI-E15


Code: UL2835



Instrument used for interventions in the coronal third, to remove root canal fillings, broken instruments or dental debris. The tip is for use with or without irrigation.

### SI-P4D


Code: UL2845



Diamond-coated, the end of the tip is thin and for supragingival fine scaling and interdental scaling. The round cross-section allows tooth surfaces to be finished without causing damage.

### SI-E10D


Code: UL2836



Diamond-coated, the end of the tip is thin and for supragingival fine scaling and interdental scaling. The round cross-section allows tooth surfaces to be finished without causing damage.

### SI-E11D

Code: UL2837



For high efficiency root planning in the retrograde preparation of root canals.

Compatible with **Mectron®**


## Sinus Lift

### M-EL1

Code: UL3110

↔ **Mectron®: EL1**

Separation of the sinus membrane, 2 mm around the frame of bony window.




### M-EL2

Code: UL3111

↔ **Mectron®: EL2**

Separation of the sinus membrane in internal zones.




### M-EL3

Code: UL3112

↔ **Mectron®: EL3**

Separation of the sinus membrane in internal zones.




### M-OT1

Code: UL3132

↔ **Mectron®: OT1**

To finalize the osteotomy in proximity of soft tissue (for example: sinus membrane, vessel, alveolar nerve).




### M-OT5

Code: UL3135

↔ **Mectron®: OT5**

Non-traumatic, to finalize the osteotomy or osteoplasty on thin bone and/or near delicate anatomic structures.




### M-UL8

Code: UL3148

↔ **Mectron®: UL8**

For non-traumatic osteotomy and osteoplasty near soft tissue and thin bone region.



Compatible with **Mectron®**


## Endo

### M-EN1

Code: UL3114

↔ **Mectron®: EN1**

Titanium nitride coating, diamond grain size 30 µm.




### M-EN2

Code: UL3115

↔ **Mectron®: EN2**

Gentle apical root debridement.




### M-EN3

Code: UL3116

↔ **Mectron®: EN3**

Apical root debridement.




### M-EN4

Code: UL3117

↔ **Mectron®: EN4**

Gentle apical root debridement.



Compatible with **Mectron®**


## Extraction

### M-EX1

Code: UL3119

↔ **Mectron®: EX1**

To cut off the ankylosis, root fraction techniques.



### M-EX2

Code: UL3149

↔ **Mectron®: EX2**

Left curved, Used to cut off the ankylosis, root fraction techniques in the posterior regions.




Compatible with **Mectron®**

## Extraction

### M-EX3

Code: UL3150

↔ **Mectron®: EX3**




Right curved, Used to cut off the ankylosis, root fraction techniques in the posterior regions.

### M-UC6

Code: UL3151

↔ **Mectron®: UC6**




For teeth extraction and alveolar bone splitting.

### M-UC7

Code: UL3152

↔ **Mectron®: UC7**



For teeth extraction and alveolar bone splitting.

Compatible with **Mectron®**



## Implantation

### M-UI1

Code: UL3121

↔ **Mectron®: UI1**

Ø1.6mm implantation site preparation insert.





### M-UI2

Code: UL3122

↔ **Mectron®: UI2**

Ø2mm implantation site preparation insert.



Compatible with **Mectron®**


## Implantation

### M-UI8

Code: UL3123

↔ **Mectron®: UI8**

Ø1.6mm implantation site preparation insert.





### M-UI9

Code: UL3124

↔ **Mectron®: UI9**

Ø2.8mm implantation site preparation insert.




### M-OT4

Code: UL3134

↔ **Mectron®: OT4**

To correct pilot osteotomy axis, to finalize the implant site preparation close to the alveolar nerve; sinus crestal approach technique.



Compatible with **Mectron®**


## Osteotomy

### M-OP1

Code: UL3126

↔ **Mectron®: OP1**

Bone remodeling and harvesting of bone chips.



### M-OP3

Code: UL3127

↔ **Mectron®: OP3**

Periodontal osteotomy, crown lengthening, bone chips harvesting, inflammatory tissue removal (cyst, etc.).



Compatible with **Mectron®**


## Osteotomy

### M-OT2

Code: UL3133

↔ **Mectron®: OT2**

Osteotome of great precision in anatomically thin structures (for example, ridge expansion, interdental corticotomies, non-traumatic nasal spina).




### M-OT6

Code: UL3136

↔ **Mectron®: OT6**

Osteotome of large bone sections during maxillofacial surgery




### M-OT7

Code: UL3137

↔ **Mectron®: OT7**

All the osteotomy technique in maxilla and mandible; ridge expansion; corticotomy technique; bone block grafting.




### M-OT7S-3

Code: UL3138

↔ **Mectron®: OT7S-3**

Very thin osteotomy, corticotomy for orthodontic microsurgery technique, root separation in dental extraction technique and periodontal surgery.



### M-OT8L

Code: UL3139

↔ **Mectron®: OT8L**

All the osteotomy technique in maxilla and mandible; bone block grafting.




### M-OT8R

Code: UL3140

↔ **Mectron®: OT8R**

All the osteotomy technique in maxilla and mandible; bone block grafting.



Compatible with **Mectron®**


## Perio

### M-OP5

Code: UL3128

↔ **Mectron®: OP5**

Root debridement and root planing during resective and regenerative periodontal surgery.




### M-OP6

Code: UL3129

↔ **Mectron®: OP6**

Root preparation in periodontal surgery.




### M-UP7

Code: UL3141

↔ **Mectron®: UP7**

Peri-apical maxillary bone osteotomy access, inflammatory tissue removal.




### M-PP1

Code: UL3143

↔ **Mectron®: PP1**

Root planing.




### M-PS1

Code: UL3145

↔ **Mectron®: PS1**

Root planing.




### M-PS2

Code: UL3146

↔ **Mectron®: PS2**

Scaling and inflammatory tissue removal, fractured root apex extraction.



Compatible with **Mectron®**



## Perio

### M-PS6

Code: UL3147

↔ **Mectron®**: PS6

Root planing.



Compatible with **Mectron®**


## Bone Surgery

### M-US13

Code: UL3153

↔ **Mectron®**: US13

For osteotomy and the removal of apex in posterior teeth area.





### M-US21

Code: UL3154

↔ **Mectron®**: US21

For bone cutting.




### M-US25

Code: UL3155

↔ **Mectron®**: US25

For bone surgery.



## Other Accessories



### Replacement Handpiece - Optic

Code: UL2022 UHP-EF Compatible with Beyes® and EMS®



### Replacement Handpiece - Non Optic

Code: UL2020 UHP-E Compatible with Beyes® and EMS®

Code: UL2021 UHP-S Compatible with Satelec®



### Tip Holder #1

Code: UL2601



### Tip Holder #2

Code: UL2602



### Sterilization Cassette

Hold one handpiece, torque wrench, endo wrench and tips.

Code: ULP2005

### Tip Wrench

WST  
Code: UL2420



WEF  
Code: UL2421

### NITI U-File 6Pcs/Pack



Code: UL2500

15#

Code: UL2501

20#

Code: UL2502

25#

Code: UL2503

30#

Code: UL2504

35#

Code: UL2505

40#

### Third Party Trademark Notice

EMS® is a registered trademark of Electro Medical Systems S.A. Kavo® is a registered trademark of Kaltenbach & Voigt GmbH. LM-Dental® is a registered trademark of LM-Instruments Oy. Satelec® is a registered trademark of Acteon Group. NSK® is a registered trademark of Nakanishi Inc. Sirona® is a registered trademark of Sirona Dental Systems Inc. Mectron® is a registered trademark of Mectron S.P.A. All brands are holders of their respective trademarks. The parts described in this catalog are manufactured by Beyes to fit products manufactured and sold by third parties under the foregoing third party trademarks.





Promotions

Your Dealer for Beyes Products

**Beyes**<sup>®</sup>  
CANADA

**Beyes Dental Canada Inc.**

23-595 Middlefield Road  
Scarborough, ON M1V 3S2  
Canada  
Tel: 1-855-603-1888  
Fax: 1-855-720-1228  
Email: [info@beyes.ca](mailto:info@beyes.ca)

EU REP

**Lotus NL B.V.**

Koningin Julianaplein 10, le Verd,  
2595AA, The Hague,  
Netherlands

Scan the QR code for  
more information



[www.beyes.ca](http://www.beyes.ca)